



**new england caseworks®**  
commercial casework & millwork solutions



# **bulletin board®**

pinboard linoleum

creating better environments



FLOORING SYSTEMS



2186 | blanché almond 2214 | blue berry 3363 | walton lilac

bulletin board

# PINBOARD LINOLEUM

*Pinboard linoleum, or BULLETIN BOARD, offers a practical, simple solution to collect and exchange thoughts and ideas whenever people plan, create and meet. Simply share your thoughts by pinning your idea onto the wall.*

*BULLETIN BOARD is an all natural material that can be applied in framed pin boards or directly onto the wall. Its surface is tactile and colourful, creating a decorative element in your space, in addition to being a practical aid in your day to day activity.*

THE **ALL NATURAL** SOLUTION  
TO HOLD YOUR THOUGHTS

## NATURAL & DURABLE

---

*BULLETIN BOARD is produced from natural and renewable raw materials.*

*A combination of oxidised linseed oil, rosin and finely ground cork gives the product its flexibility and resilience. This combination results in a product with exceptional durability.*

Its strength and resilience make BULLETIN BOARD the ideal material for pin boards, notice boards and all other surfaces where ideas and information are exchanged. The board material retains its grip and doesn't crumble like traditional soft boards as the pinholes close after extraction of the pins due to the flexibility that characterises the material.



## PRACTICAL & HYGIENIC

---

*BULLETIN BOARD does not attract dust and has bacteriostatic properties.*

*This makes the product a practical solution in classrooms, for the ever changing exhibitions of children's drawings. But also a hygienic solution in healthcare environments where 'get well' messages can be pinned behind the bed.*





2162 | duck egg 2186 | blanded almond 2214 | blue berry 3363 | walton lilac

## WALL SOLUTIONS



2186 | blanded almond 3363 | walton lilac



2182 | potato skin 3363 | walton lilac


BULLETIN BOARD is supplied in rolls of up to 28 metres long and 1.22 metres wide, making it suitable for large installation in for example conference rooms or alongside corridors. 3 colours are also available at 1.83m wide.





2206 | oyster shell 2211 | tangerine zest 3363 | walton lilac

## DECORATIVE SOLUTIONS



2206 | oyster shell 2211 | tangerine zest



2210, 2207, 2166, 2162, 2206, 2182, 2187, 2186, 3363 | walton lilac

BULLETIN BOARD is flexible and easy to cut and handle, which allows you to create functional wall decorations with enchanting decorative effects.



2187 | brown rice

## FRAMED SOLUTIONS



2182 | potato skin 2187 | brown rice 2206 | oyster shell 2209 | black olive

Framed bulletin board can be made in single colours that fit your needs or in decorative combinations that enhance your environment. All in various sizes and ideal to hold your thoughts or expose your creativity.





2187 | brown rice 3363 | walton lilac

## FURNITURE SOLUTIONS



2187 | brown rice 2213 | baby lettuce 3363 | walton lilac

BULLETIN BOARD provides ideal solutions to the modern sustainable office environment where separation walls or furniture elements can double as information carriers.



A penny for  
your thoughts



Room for  
Ideas



changing  
exhibitions



Get well soon







# APPLICATION

For information about how to install or maintain Bulletin Board, please check the installation guide online at [www.forbo-flooring.com/bulletinboard](http://www.forbo-flooring.com/bulletinboard).



## Technical specifications

	Total Thickness	EN-ISO 24346	6.0 mm ± 0.25 mm
	Roll Width	EN-ISO 24341	1.22 m (3 colours in 1.83 m)
	Roll Length	EN-ISO 24341	≤ 28 m
	Total Weight	EN-ISO 23997	4.7 kg/m² ± 10%
	Flexibility	EN-ISO 24344	Ø 50 mm, according to method A
	Sound absorption coefficient	EN-ISO 354	α <sub>w</sub> 0.1 (typical)
	Thermal conductivity	EN 12524	0.10 W/m-K
	Self-healing properties	LH000420	yes
	Force on pins - Perpendicular to pin direct	LH000421	25 N (typical)
	Force on pins - Perpendicular to pin at 7 mm	LH000421	10 N (typical)
	Force on pins - Parallel to pin (pulling the pin out)	LH000421	15 N (typical)
	Bacteriostatic properties	EN-ISO 22196	yes
	Chemical resistance	EN-ISO 26987	Resistant to diluted acids, oils and the most conventional solvents such as alcohol, white spirit, etc. Not resistant to prolonged exposure to alkalis.
	Dimension stability		Due to the natural jute back, providing a strong durable foundation, the product is dimensionally stable in all directions when properly installed. It resists cracking, drying and peeling.
	Anti-static		yes
	Gloss		Only available in matt colors, so that reflection caused by sunlight or artificial light is reduced.
	Natural materials (e.g. cork, linseed oil, jute)		91%
	Recycled content		43%
	PVC, PET, plasticizers content		0%



All Forbo Flooring Systems' sales organisations worldwide have a certified Quality Management System in accordance with ISO 9001.  
All Forbo Flooring Systems' manufacturing operations have a certified Environmental Management System in accordance with ISO 14001.

Forbo Flooring Systems is part of the Forbo Group, a global leader in flooring and movement systems, and offers a full range of flooring products for both commercial and residential markets. High quality linoleum, vinyl, textile, flocked and entrance flooring products combine functionality, colour and design, offering you total flooring solutions for any environment.



#### **Baltic States**

Forbo Flooring  
K. Ulmana gatve 5  
Rīga, LV-1004, Latvia  
Tel.: +371 670 66 116  
Fax: +371 670 66 117  
E-mail: [info.lv@forbo.com](mailto:info.lv@forbo.com)  
[www.forbo-flooring.lv](http://www.forbo-flooring.lv)  
[www.forbo-flooring-ee.com](http://www.forbo-flooring-ee.com)  
[www.forbo-flooring.lt](http://www.forbo-flooring.lt)

#### **Finland**

Forbo Flooring Finland Oy  
Heikkiläntie 2, 4 krs  
00210 Helsinki  
Puhelin +358 (0)9 862 30 300  
Faksi +358 (0)9 862 30 301  
Sähköposti: [info.finland@forbo.com](mailto:info.finland@forbo.com)  
[www.forbo-flooring.fi](http://www.forbo-flooring.fi)

#### **Spain**

Forbo Pavimentos S.A.  
Pasaje Bofill, 13-15  
08013 Barcelona  
Tel.: +34 93 20 90 793 – 93 20 06 732  
Fax: +34 93 245 69 60  
E-mail: [info@forbo-linoleum.es](mailto:info@forbo-linoleum.es)  
[www.forbo-flooring.es](http://www.forbo-flooring.es)

#### **Other countries**

Forbo Flooring B.V.  
P.O. Box 13  
1560 AA Krommenie  
The Netherlands  
Tel.: +31 75 647 74 77  
Fax: +31 75 647 77 01  
[contact@forbo.com](mailto:contact@forbo.com)  
[www.forbo-flooring.com](http://www.forbo-flooring.com)



Find us on



creating better environments

**forbo**

FLOORING SYSTEMS